

**Product Catalog** 

# why choose us? Health o meter®

Professional

#### weigheasier®

What sets Health o meter® Professional Scales apart is that everything we do - from product design to technical support - is done with our customers in mind. Each decision and each response is formed by first asking **What will be weigheasier for our customer?** – whether the customer is a physician, healthcare system, distributor, or sales team.

#### **#1 Medical Scale Brand in North America**

Health o meter® has been a trusted brand since 1919. Today, Health o meter® Professional Scales is the U.S. market leader and the fastest growing brand in Medical Scales.\* We offer:

- · High quality products that serve the entire continuum of medical care
- The industry's largest network of trained and qualified field representatives
- Direct toll-free number for Technical Support with customer advocates based in the USA
- Fast shipments and industry-leading fill rates
- Standardization programs
- No-cost product evaluations

#### 100% Focus on Healthcare

Because all we do is support the healthcare market, we understand the impact of healthcare reform, Value-Based Purchasing, and other industry-specific initiatives. We understand that providers are overwhelmed with patient care and are focused on operating efficiently and with an eye on costs. We concern ourselves with patient safety, supply chain efficiency, and technology standardization because our customers are concerned about those things. At Health o meter® Professional Scales, we design our products to help patients and the providers and institutions that care for them.

#### **Products Designed in the USA**

Health o meter® Professional's US based engineers and product specialists design high-value, high-quality devices for users around the globe.

# Rated #1 by Medical Distributors & Healthcare Professionals!

# table of **contents**

02

ScaleSurance® Extended Warranty

03

**Connectivity Solutions** 

04-53

**Products** 

- ✓ Stand-On
- **∠** Body Composition Scale
- ✓ Pediatric
- Wheelchair / Chair / Multi-Use
- ▲ Specialty
- ▲ Professional Home Care
- Height Measuring
- Accessories
- ✓ Automated Calibrator

54

Glossary

**Symbols** 

**55** 

**Global Support** 

ISO 9001:2015 ISO 13485:2016 CERTIFIED





## **Extended Warranty Program**

Health o meter® Professional Scales offers an extended warranty that protects a facility's scale investment. This program extends the standard Limited Warranty that is available with select Health o meter® Professional products.

#### **Benefits of an Extended Warranty:**

- Peace of mind against the financial hardship of unexpected equipment replacement costs
- Quick product replacement including free outbound shipping
- Hassle-free coverage provided by the manufacturer, not a third party warranty company
- Immediate, live interaction with product specialists for troubleshooting, diagnostics, or EMR connectivity assistance

# A fraction of the cost of buying a new scale!

#### **Additional Details:**

- Can be purchased with a new scale or for a facility's existing scale before the current warranty has expired.
- Available on Health o meter® Professional digital scales and digital height rods that have a 2 year limited warranty and G6 Body Comp Scales

For more information visit www.homscales.com/scalesurance

Not available in all countries

To purchase an extended warranty or for more information, contact your medical supply distributor today!

## **Connectivity Solutions**

Health o meter® Professional Scales provides seamless connectivity solutions for transmitting weight, height, and Body Mass Index (BMI) measurements to vital signs devices, PCs and EMR systems. This automatic data transfer minimizes transcription errors and is the fastest quickest, easiest way to record patient information. Device connectivity enhances healthcare facility workflow efficiency, patient safety, and EMR compliance.

Our open-architecture, non-propriety connectivity solutions are designed for universal integration with any device or EMR company that would like to establish direct interfaces between our scales and their systems. We will work with any EMR company at the request of our customers to facilitate direct interfaces with their systems. Our compatibility extends to various systems, including:



The following solutions are available for connecting Health o meter® Professional digital scales with vital signs devices, PCs, and EMR systems:

#### "BT" Model Scales with Built-in Pelstar® Wireless Technology

These scales include wireless connectivity and a wireless USB Dongle for facilities that want to transmit data to Welch Allyn® Connex® devices: Connex® Spot Monitor, Connex® Vital Signs Monitors, and Connex® Integrated Wall Systems.

#### BTKIT-01

Wireless upgrade kit is for Health o meter® Professional compatible digital scales and allows practitioners to add wireless connectivity to their new or existing scale. This wireless upgrade kit is for facilities that want to connect to Welch Allyn® Connex® devices: Connex® Spot Monitor, Connex® Vital Signs Monitors, and Connex® Integrated Wall Systems.

#### BTKIT-03

Wireless upgrade kit is for Health o meter® Professional compatible digital scales and allows practitioners to add wireless connectivity to their new or existing scale. This wireless upgrade kit is for facilities that want to connect to pre-approved devices and Windows®/ Linux® PCs. Pre-approved devices include Edan iM3, MDPro 2500 Vital Signs Monitors, and the Schiller DS20 Diagnostic Station.

#### **BTKIT-100**

Wireless upgrade kit is for Health o meter® Professional compatible digital scales and allows practitioners to add wireless connectivity to their new or existing scale. This wireless upgrade kit is for facilities that want to connect to pre-approved devices and Windows®/ Linux® applications. Pre-approved devices include Ceiba Healthcare's IoMT eConnect Box which can interface to several EMR Systems including Epic® and Cerner®.

#### C-HOMWA-1

Wired connection is for Welch Allyn® Connex Devices. Adapter and USB cable connect the scale to Welch Allyn® Connex® devices: Connex® Spot Monitor, Connex® Vital Signs Monitors, and Connex® Integrated Wall Systems.

For more information visit www.homscales.com/ConnectivitySolutions







**Power Source:** 6 AA batteries included, 100-240V adapter (not included)

**Functions:** LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Auto Zero, Auto Off, Reweigh, Recall, Parent / Child Weighing Function, Variable Auto Off Time, Audible / Mute Sound Option, Enabling Unit View with Unit of Measure Locked, Everlock®

Wheels: 2 wheels, Connectivity: optional 8" wide Pelstar® wireless wheelbase technology





EYE-LEVEL DIGITAL SCALE

Videos & More!

The 500KL is the #1 selling physician scale in North America. With a built-in height rod, the scale enhances workflow by measuring weight and height and calculating Body Mass Index without moving the patient. Optional handlebars provide stability to keep both patients and caregivers safe.

**Built-in Height Rod:** The easy-to-use height rod provides height measurements from 30" - 84 1/4" / 76 cm - 214 cm.

**Calculates BMI:** Scale functions include the ability to calculate the patient's BMI.

**EMR Capable:** Scale interfaces with a computer, EMR software or other electronic device via Health o meter® Professional Connectivity Solutions.

**Dent/Rust Proof Low Profile Platform:** Non-skid platform requires only minimal step up, offering the patient a comfortable and stable weighing experience.



Capacity	Resolution	Platform Size (w x d x h)
660 lb / 300 kg	0.2 lb / 0.1 kg	13 ¾" x 16 ½" x 2 ¾" 349 mm x 419 mm x 60 mm

Height Rod	Height Rod Graduation	Display	
30" - 84 ¼" 76 cm - 214 cm	½" / 1 mm	1" / 25 mm LCD	

Model	Description
500KG	Scale in kilograms only
500KLHB	500KL with handlebars included
500KLAD	500KL with adapter included
500KGAD	500KG with adapter included
500KL-BT	500KL with built-in Pelstar® wireless technology
500KG-BT	500KG with built-in Pelstar® wireless technology
500HB	Optional handlebar accessory for 500 series scales
SS-500KL	2 year extended warranty
ADPT31	Adapter for 500 series scales
BTPRINTERKIT-01	Wireless thermal printer kit



PRIMARY CARE DIGITAL SCALE WITH DIGITAL HEIGHT ROD



Videos & More!

The newest member of the #1 selling physician scale in North America. With a market-leading built-in digital height rod, the scale enhances workflow by measuring weight and height and calculating Body Mass Index without moving the patient. Optional handlebars provide stability to keep both patients and caregivers safe.

**Built-in Digital Height Rod:** The easy-to-use height rod provides a full measuring range of 11  $\frac{3}{4}$ " – 79  $\frac{1}{2}$ " / 30cm – 202 cm and a digital range of 3ft 11.2" – 6ft 7.5"/ 120 cm – 202 cm.

**Calculates BMI:** Scale functions include the ability to calculate the patient's BMI.

**EMR Capable:** Scale interfaces with a computer, EMR software or other electronic device via Health o meter® Professional Connectivity Solutions.

**Dent/Rust Proof Low Profile Platform:** Non-skid platform requires only minimal step up, offering the patient a comfortable and stable weighing experience.



Capacity	Resolution	Platform Size (w x d x h)
660 lb / 300 kg	0.2 lb / 0.1 kg	13 ¾" x 16 ½" x 2 ¾" 349 mm x 419 mm x 60 mm

Digital Height Rod	Mechanical Height Rod	Display	
3ft 11.2" – 6ft 7.5" 120 cm – 202 cm	11 ¾" – 79 ½" 30 cm – 202 cm	1" / 25 mm LCD	
Resolution: 1 mm / 0.1"	Graduation: 1/16" /1 mm		

#### **Options & Accessories:**

Model	Description
502KG 502KL-BT 502KG-BT 500HB SS-502KL ADPT31 BTPRINTERKIT-01	Scale in kilograms only 502KL with built-in Pelstar® wireless technology 502KG with built-in Pelstar® wireless technology Optional handlebar accessory for 502 series scales 2 year extended warranty Adapter for 502 series scales Wireless thermal printer kit

**Power Source:** 6 AA batteries included, 100-240V adapter (not included)

**Functions:** LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Auto Zero, Auto Off, Reweigh, Recall, Parent / Child Weighing Function, Variable Auto Off Time, Audible / Mute Sound Option, Enabling Unit View with Unit of Measure Locked, Everlock®

Wheels: 2 wheels, Connectivity: optional 8" wide Pelstar® wireless wheelbase technology

#### WAIST-HIGH DIGITAL SCALE



The 499KL has a waist-high easy to read display and the scale is an attractive, robust option for use in medical offices. With an optional height rod and optional handlebars, the 499KL is an economical choice for almost any environment.

Capacity: 460 lb / 209 kg Resolution: 0.2 lb / 0.1 kg **Platform Size**  $(w \times d \times h)$ :

13 ¾" x 16 ½" x 2 %"

349 mm x 419 mm x 60 mm Display: 1" / 25 mm LCD

Wheels: 2 wheels, 8" wide wheelbase

Power Source: 6 AA batteries included, 100-240V adapter

(not included)

Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Hold / Release, Auto Zero, Auto Off, Parent / Child Weighing Function,

Everlock®

#### **Options & Accessories:**

Model	Description
499KG 499KLHR 499KGHR	Scale in kilograms only 499KL with height rod included 499KG with height rod included
499KLAD 499KGAD	499KL with adapter included 499KG with adapter included
499KLHRAD 499KGHRAD 499HB	499KL with height rod and adapter included 499KG with height rod and adapter included Optional handlebar accessory for 499 series scales
SS-499KL 499KLROD	2 year extended warranty Height rod for 499 series scales
ADPT31	Adapter for 499 series scales



#### 599KL

HEAVY DUTY WAIST-HIGH DIGITAL SCALE



or offices and clinics with minimal floor space, the 599KL

Capacity: 660 lb / 300 kg Resolution: 0.2 lb / 0.1 kg **Platform Size**  $(w \times d \times h)$ : 14 ¼" x 14 ¼" x 2 %"

362 mm x 362 mm x 67 mm

Display: 1" / 25 mm LCD, 350° Swivel Connectivity: USB, optional Pelstar

wireless technology

**Options & Accessories:** 

Great for doctor offices and chines with minimal floor space, the 399KL
has a high capacity with waist-high display that can swivel 350°.
$\label{thm:continuous} \textbf{For providers wishing to measure height, an optional height rod is available.}$


Wheels: 2 **Power Source:** 

100-240V adapter included, 6 C batteries (not included)

Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Hold / Release, Auto Zero, Auto Off, Parent / Child Weighing Function

Model	Description
599KG 599KLHR 599KGHR SS-599KL 499KLROD ADPT50 PFI STARONF-P	Scale in kilograms only 599KL with height rod included 599KG with height rod included 2 year extended warranty Height rod for 599KL Adapter included, item # for replacement or spare Wireless thermal printer







# ELEVATE models include a connectivity kit that allows the scale to interface directly with Welch Allyn® vital signs monitors

Power Source: 100-240V adapter included,

6 C batteries (not included)

Functions: LB / KG Conversion,
LB / KG Lock Out , BMI, Zero, Tare,
Hold / Release, Auto Zero, Auto Off,
Parent / Child Weighing Function

Wheels: 2 Connectivity: USB, optional

Pelstar® wireless technology

# 600KL & ELEVATE

HEAVY DUTY EYE-LEVEL DIGITAL SCALE WITH DIGITAL HEIGHT ROD

Improve workflow with this top-of-the-line physician office scale. The built-in digital height rod eliminates the need to manually enter height for computing BMI. The 350° swivel head allows for line-of-sight viewing and patient privacy.

**EMR Capable:** Scale interfaces with a computer, EMR software or other electronic device via Health o meter<sup>®</sup> Professional Connectivity Solutions.

**Automatically Calculates Weight, Height and BMI:** Improve efficiency and accuracy of vital sign measurements.

**Built-in Digital Height Rod:** The easy-to-use, state of the art digital height rod provides measurements from 23 5%" - 88"/ 60 cm - 222 cm.

**Patented Design:** The 600KL's patented design provides a user-friendly and intuitive interface for measuring patient weight, height and BMI with a convenient rotating display head.



Capacity	Resolution	<b>Platform Size</b> (w x d x h)
660 lb / 300 kg	0.2 lb / 0.1 kg	14 ¼" x 14 ¼" x 2 ¾" 362 mm x 362 mm x 67 mm

Height Rod	Height Rod Resolution	Display	
23 %" - 88" 60 cm - 222 cm	0.1" / 0.1 cm	1" / 25 mm LCD 350° Swivel	

Model	Description
ELEVATE-C	Scale with Connex connectivity kit
ELEVATE-KG	ELEVATE-C in kilograms only
600KL-BT 600KG-BT	600KL with built-in Pelstar® wireless technology 600KG with built-in Pelstar® wireless technology
FI FVATF-BT	ELEVATE-C with built-in Pelstar® wireless technology
ELEVATE-KG-BT	ELEVATE-KG with built-in Pelstar® wireless technology
ADPT50	Adapter included, item # for replacement or spare
SS-600KL	2 year extended warranty
SS-ELEVATE-C	2 year extended warranty
SS-600KL-BT	2 year extended warranty
SS-ELEVATE-BT	2 year extended warranty
PELSTARONE-P	Wireless thermal printer

REMOTE DISPLAY DIGITAL SCALE



The 498KL is a versatile choice for almost any clinical environment. Its portability and remote display head allow the scale to be moved from one location to another.

**Capacity:** 660 lb / 300 kg **Resolution:** 0.2 lb / 0.1 kg **Platform Size** (w x d x h):
13 ¾" x 16 ½" x 2 ¾"
349 mm x 419 mm x 60 mm

**Display:** 1" / 25 mm LCD

Connectivity: via optional Pelstar®

wireless technology

Power Source: 6 AA batteries included, 100-240V adapter (not included)
Functions: LB / KG Conversion,
LB / KG Lock Out, BMI, Zero, Tare,
Pre-tare, Hold / Release, Reweigh, Auto
Zero, Auto Off, Parent / Child Weighing
Function, Variable Auto Off Time,
Audible / Mute Sound Option, Enabling
Unit View with Unit of Measure Locked,

Everlock®

#### **Options & Accessories:**

Model	Description
498KG	Scale in kilograms only
498KLAD	498KL with adapter included
SS-498KL	2 year extended warranty
ADPT31	Adapter for 498KL
64771	Carrying case for 498KL
BTPRINTERKIT-01	Wireless thermal printer kit



Optional Height Rods, see page 46

#### **752KL**

HEAVY DUTY REMOTE DISPLAY DIGITAL SCALE



With a high 660 lb capacity, the 752KL is a great supplement to accommodate ambulatory bariatric patients. The remote display and portable base make it convenient to move the scale anywhere it is needed.

**Capacity:** 660 lb / 300 kg **Resolution:** 0.2 lb / 0.1 kg **Platform Size** (w x d x h):

14 ¼" x 14 ¼" x 2 %"

362 mm x 362 mm x 67 mm

Display: 1" / 25 mm LCD

Connectivity: USB, optional Pelstar®

wireless technology

Options & Accessories:

e it is needed.	
Power Source:	100-240V adapter included,

6 C-cell batteries (not included)

Functions: LB / KG Conversion,

LB / KG Lock Out, BMI, Zero, Tare,

Hold / Release, Auto Zero, Auto Off,

Parent / Child Weighing Function

Model	Description	
752KG SS-752KL	Scale in kilograms only 2 year extended warranty	
ADPT50	Adapter included, item # for replacement or spare	
64771	Carrying case for 752KI	



Optional Height Rods, see page 46



#### ★ TOP SELLER

## **349KLX**

#### DIGITAL FLOOR SCALE

The 349KLX is a top selling scale that can be used in a host of locations, from MD offices to clinics to home care. Users can place the remote display head where it is easiest for them to read the weight. The scale's small footprint also makes it a great choice for weight loss clubs and home use.

**Low Profile Platform:** Low platform height offers patient a comfortable and stable weighing experience.

**Remote Display:** The remote display provides versatility with the ability to be mounted on a wall or placed on a table.

**Power Source:** 6 AA batteries included, 120V adapter (not included) **Functions:** LB / KG Conversion,

Functions: LB / KG Conversion,
LB / KG Lock Out, Zero, Tare, Hold / Release,
Reweigh, Auto Zero, Auto Off, Variable auto
off time, Parent / Child Weighing Function,
Enabling Unit View with Unit of Measure
Locked, Enable / Disable Backlight Display
with 4 Levels of Brightness, Everlock®

Capacity	Resolution	Platform Size (w x d x h)
400 lb / 180 kg	0.2 lb / 0.1 kg	12 ½" x 12" x 1 %" 318 mm x 305 mm x 48 mm

#### **Display**

1" / 25 mm LCD

#### **Options & Accessories:**

Model	Description
349KGX 349KLXAD SS-349KLX ADPT40 64771	Scale in kilograms only 349KLX with adapter included 2 year extended warranty Adapter for 349KLX Carrying case for 349KLX

Optional Height Rods, see page 46







Power Source: 100-240V

adapter included, 6 D batteries (not included)

Functions: LB / KG Conversion,

LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Audible / Mute Sound Option, Parent / Child Weighing Function, Everlock®

Wheels: 2 Connectivity: USB, optional Pelstar® wireless

technology



# 3001KL-AMX 8 3001KL-AMX

#### ANTIMICROBIAL DIGITAL PLATFORM SCALE

Incredibly robust, these platform scales feature feet and wheels specially designed to withstand frequent use and regular movement. Antimicrobial coating on the handrails, transport handle, and keypad help reduce the spread of harmful microbes. The 3001KL-AMX offers extended handrails that provide extra support and help patients maintain balance when stepping onto the platform.

**Infection Prevention:** Silver ionic Antimicrobial Powder Coating suppresses the growth of bacteria and helps protect against cross-contamination.

**Fall Prevention:** "Live" handrails are advanced technology that allow the patient to hold on for stability while the scale accurately calculates weight.

**Low Profile Platform:** Requires only minimal step up, offering the patient a comfortable and stable weighing experience.

**Durability:** Convenient transport handle allows the user to easily move the scale to where it is needed in the facility. Rugged wheels allow for smooth and easy portability.







Capacity	Resolution	<b>Platform Size</b> (w x d x h)
1000 lb / 454 kg	0.2 lb / 0.1 kg	22" x 15 ¾" x 2 ¾" 559 mm x 400 mm x 67 mm

#### **Display**

Digit Size: %" / 10 mm, Screen Size: 2 %" x 1 ½" High-Contrast Color TFT-LCD Screen

Model	Description
3001KG-AM	Assembled scale in kilograms only
3001KL-AM-BT	3001KL-AM with built-in Pelstar® wireless technology
3001KG-AM-BT	3001KG-AM with built-in Pelstar® wireless technology
3001KL-AMHR	3001KL-AM with mechanical height rod
3001KG-AMHR	3001KG-AM with mechanical height rod
3001KL-AMX	Assembled scale with extended handrails
3001KG-AMX	3001KL-AMX in kilograms only
245EHR-3001	Digital height rod for 3001KL-AM & 3001KG-AM
3001HR	Mechanical height rod for 3001KL-AM & 3001KG-AM
SS-3001KL-AM	2 year extended warranty
SS-3001KL-AMX	2 year extended warranty
ADPT30	Adapter included, item # for replacement or spare
BTPRINTERKIT-01	Wireless thermal printer kit

#### Optional Digital and Mechanical Height Rods Available



Power Source: 100-240V adapter included, 6 D batteries (not included) Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Audible / Mute Sound Option, Parent /

Wheels: 2 Connectivity: USB, optional Pelstar® wireless technology

Child Weighing Function, Everlock®

#### ♠ TOP SELLER

## 1100KL

#### DIGITAL PLATFORM SCALE WITH EXTRA WIDE HANDRAILS

A comprehensive platform scale that supports up to 1000 pounds, offers "live" handrails and a low profile platform to provide a stable and comfortable weighing experience for patients of any size. The keypad features antimicrobial protection. Ideal for any type of facility including primary care, rehab or hospital.

**Fall Prevention:** "Live" handrails are advanced technology that allow the patient to hold on for stability while the scale accurately calculates weight.

**Low Profile Platform:** Requires only minimal step up, offering the patient a comfortable and stable weighing experience.



Capacity	Resolution	Platform Size (w x d x h)
1000 lb / 454 kg	0.2 lb / 0.1 kg	22" x 15 ¾" x 2 ½" 559 mm x 400 mm x 64 mm

#### **Display**

Digit Size: %" / 10 mm,

Screen Size: 2 ¾" x 1 ½" High-Contrast Color TFT-LCD Screen

Model	Description		
1100KG	Scale in kilograms only		
1100KL-BT	1100KL with built-in Pelstar® wireless technology		
1100KG-BT	1100KG with built-in Pelstar® wireless technology		
1100KLHR	1100KL with mechanical height rod included		
1100KGHR	1100KG with mechanical height rod included		
1100KL-EHR	1100KL with digital height rod included		
1100KL-BT-EHR	1100KL-EHR with built-in Pelstar® wireless technology		
245EHR-1100	Digital height rod for 1100 series scales		
PROPLUSROD	Mechanical height rod for 1100 series scales		
SS-1100KL	2 year extended warranty		
ADPT30	Adapter included, item # for replacement or spare		
BTPRINTERKIT-01	Wireless thermal printer kit		

DIGITAL PLATFORM SCALE



This large bariatric scale features "live", long handrails to help frail and balance-challenged people get onto the scale and hold on while taking an accurate weight. The keypad features antimicrobial protection. Suitable for use in MD offices, long term care, hospitals or anywhere there is adequate space for the device.

Capacity: 1,000 lb / 454 kg Resolution: 0.2 lb / 0.1 kg **Platform Size**  $(w \times d \times h)$ :

26" x 22" x 2 %"

660 mm x 559 mm x 60 mm Display: Digit Size: 3/4" / 10 mm,

Screen Size: 2 3/4" x 1 1/2" High-Contrast

Color TFT-LCD Screen

Connectivity: USB, optional Pelstar®

wireless technology **Options & Accessories:**  Power Source: 100-240V adapter included,

6 D batteries (not included) Functions: LB / KG Conversion,

LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Audible / Mute Sound Option, Parent / Child

Weighing Function, Everlock®

Model	Description
2101KG	Scale in kilograms only
2101KL-BT	2101KL with built-in Pelstar® wireless technology
2101KG-BT	2101KG with built-in Pelstar® wireless technology
2101KLHR	2101KL with mechanical height rod included
2101KGHR	2101KG with mechanical height rod included
245EHR-2101	Digital height rod for 2101 series scales
STROD	Mechanical height rod for 2101 series scales
SS-2101KL	2 year extended warranty
ADPT30	Adapter included, item # for replacement or spare
BTPRINTERKIT-01	Wireless thermal printer kit



#### 1110KL

HIGH CAPACITY REMOTE DISPLAY DIGITAL SCALE WITH LARGE BASE



**Optional Accessories** Include Handlebars, and a Digital or **Mechanical Height** Rod



A versatile high-capacity remote digital scale designed to be customizable to accomodate any patient or facility. The keypad features antimicrobial protection.

Capacity: 1000 lb / 454 kg **Resolution:** 0.2 lb / 0.1 kg **Platform Size**  $(w \times d \times h)$ : 22" x 15 ¾" (d) x 2 %"

559 mm x 597 mm x 121 mm

Display: Digit Size: 3/8" / 10 mm, Screen Size: 2 ¾" x 1 ½" High-Contrast

Color TFT-LCD Screen

Connectivity: Via USB, optional Pelstar® wireless technology

**Options and Accessories:** 

201HR-1110 SS-1110KL

BTPRINTERKIT-01

ADPT30

Power Source: 100-240V adapter included,

6 D batteries (not included) Functions: LB / KG Conversion,

LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Audible / Mute Sound Option, Parent / Child

Weighing Function, Everlock®

Model	Description
1110KG	Scale in kilograms only
1110KL-BT	1110KL with built-in Pelstar® wireless technology
1110KG-BT	1110KG with built-in Pelstar® wireless technology
1110HB	Handlebars for the 1110 series scales
2/15EHD-1110	Digital height rod for 1110 series scales (must have an 1110HR)

Wireless thermal printer kit

Mechanical height rod for 1110 series scales (must have an 1110HB) 2 year extended warranty Adapter included, item # for replacement or spare









**PowerSource:** 6 D batteries included, 100-240V adapter not included

Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Audible / Mute Sound Option, Parent / Child Weighing Function, Everlock®

**Connectivity:** USB, optional Pelstar® wireless technology



## 3105KL-AM

HEAVY-DUTY ANTIMICROBIAL PLATFORM SCALE

The 3105KL-AM has a robust, innovative design with enhanced safety and mobility features, "live" handrails allow the patient to hold onto handrails for stability while the scale accurately calculates weight. Low profile platform requires only minimal step up, offering the patient a comfortable and stable weighing experience.

**Safety Features:** Low-profile platform, "live" handlebars, antimicrobial protection on the head, keypad, transport handle, handrails, body, and kickplate, and an innovative design that eliminates places for dirt and contaminants.

**Portability:** 2 smooth-rolling wheels and easy grip handle make it easy to move from room to room.

**EMR Capable:** Scale interfaces with a computer, EMR software or other electronic device via Health o meter® Professional Connectivity Solutions.



Capacity	Resolution	Platform Size (w x d x h)
1000 lb / 454 kg	0.2 lb / 0.1 kg	19 ¾" x 21 ¼" x 2 %"
		502 mm x 540 mm x 54 mm

#### **Display**

Digit Size: %" / 10 mm, Screen Size: 2 %" x 1 ½" High-Contrast Color TFT-LCD Screen

Model	Description
3105KG-AM 3105KL-AM-BT 3105KG-AM-BT 245EHR-3105 201HR-3105 SS-3105KL-AM ADPT30 BTPRINTERKIT-01	Scale in kilograms only 3105KL-AM with built-in Pelstar® wireless technology 3105KG-AM with built-in Pelstar® wireless technology Digital height rod for 3105KL-AM series scales Mechanical height rod for 3105KL-AM series scales 2 year extended warranty Adapter for 3105KL-AM series scales Wireless thermal printer kit





#### MECHANICAL BEAM SCALE

The classic physician scale is built with a robust steel frame and powder coated column to prevent rust. Includes a convenient height rod so clinicians can measure height and weight all in one place.

**Height Rod Included:** The easy-to-use height rod provides height measurements from 11  $\frac{7}{8}$ " - 84" / 30 cm - 213 cm. Headpiece can be folded down when not in use.

**Exclusive 10 Year Limited Warranty:** Health o meter® Professional's industry-leading warranty protects against defects of materials or workmanship.

Capacity	Graduation	Platform Size (w x d x h)
390 lb / 180 kg (Counterweights ra to 490 lb / 210 kg)	aise	10 ½" x 14" x 3 ¼" 267 mm x 356 mm x 83 mm
Height Rod	Height Rod Graduation	
11 %" - 84" 30 cm - 213 cm	1/8" x 1 mm	

#### **Options & Accessories:**

Model	Description
402KLCW	402KL with counterweights included
402KLWH	402KL with wheels included
402KLWHCW	402KL with wheels and counterweights included
402KG50	402KL with 50 gram graduation (special order)
402LB	Scale in pounds only (400 lb capacity)
402LBWH	Scale in LB only with wheels included
402KG	Scale in kilograms only (special order)
55090	Counterweights for 402KL
55000	Wheel brackets for 402KL, 402KG & 402LB

**Functions:** Measures weight in pounds and kilograms. Measures height in inches and centimeters.

#### MECHANICAL BEAM SCALE



A traditional mechanical scale with an industry-leading 10 year warranty. Features a unique coating inside the column to prevent rust when used in gyms, locker rooms and humid environments.

and kilograms.

Capacity: 390 lb / 180 kg

(Counterweights raise capacity to

490 lb / 210 kg)

**Graduation:**  $\frac{1}{4}$  lb / 100 g **Platform Size** (w x d x h):

10 ½" x 14" x 3 ¼"

267 mm x 356 mm x 83 mm

#### **Options & Accessories:**

Model	Description
400KLCW	Scale with counterweights included
400KLWH	Scale with wheels included
400KLWHCW	Scale with wheels and counterweights included
402KLROD	Optional metal height rod for 400KL
55090	Counterweights for 400KL
55000	Wheel brackets for 400KL

#### 450KL

MECHANICAL BEAM SCALE WITH ROTATING POISE BARS



The 450KL is the top of the line mechanical scale and a market leader in doctor offices for decades. Special features include long-lasting engraved numerals on rotating (LB or KG) poise bars and included counterweights that increase capacity to  $500\ lb\ /\ 200\ kg$ .

**Capacity:** 500 lb / 200 kg (with included counterweights) **Graduation:** ½ lb / 100 g

**Height Rod:** 

11 %" - 84" / 30 cm - 213 cm

Height Rod Graduation: 1/8" x 1 mm

**Platform Size**  $(w \times d \times h)$ :

10 ½" x 14" x 3 ¼"

267 mm x 356 mm x 83 mm

#### **Options & Accessories:**

Model	Description
450KLWH	Scale with wheels included
55000	Wheel brackets for 450KL

**Functions:** Measures weight in pounds and kilograms. Measures height in inches and centimeters.

Functions: Measures weight in pounds



#### **Power Source:** 110-220V power adapter

(included)

**Functions:** 15 Second Measurement Time, Body Fat, Body Water, Fat Free Mass, BMI, Basal Metabolic Rate, Visceral Fat, Measures Weight in Pounds and Kilograms

## BCS-G6

#### BODY COMPOSITION SCALE

Affordable, accurate and attractive. The perfect body composition scale for practices desiring consistent results and accuracy regardless of when it's used. With no pre-test restrictions and proprietary Ohms Modulation Logic technology, G6 scales eliminate the Body Fat Bounce Effect and can be used with patients at any time of day.

**15 Second Measurement Time:** On-screen display delivers rapid access to weight, body fat %, body water %, lean mass, BMR & BMI. A full illustrated printout can be generated in under a minute.

**Large Platform:** The spacious platform allows patients to find a comfortable and secure stance.

**Few Pretest Restrictions:** Analysis can be performed at any time of day and under almost any circumstances, resulting in the greatest flexibility of any body composition analyzer.

**High Capacity:** The scale features an industry-leading 1000 lb capacity that provides the flexibility and accuracy to weigh any patient.



Capacity	Resolution	<b>Platform Size</b> $(w \times d \times h)$
1000 lb / 453.5 kg	0.1 lb / 0.1 kg	14" x 16" x 2 %" 356 mm x 406 mm x 48 mm

#### **Display**

6-window display (½" digits) including weight, % body fat, % body water, % muscle mass, BMI, REE

Optional printer, sold separately, not available through Health o meter® Professional Scales. Visit **homscales.com/bcs-g6** for BCS-G6 compatible printer list.

#### **BCS-G6**

Users can choose from 4 graphic patient report templates including Adult / Bariatric, Adult Spanish, Pediatric and Fitness versions. These personalized printouts include detailed information about a patient's body composition and educational content regarding the health risks associated with being overweight. Providing patients with a personalized risk assessment is an effective way to engage them in their care and motivate them to take control of their health.









Waiting room brochures (BCS-BROCHURE) are effective marketing tools for practices that charge patients for the G6 analysis. The flyers come in a handy stand and provide a way to inform patients that a Body Composition Analysis is available and can be performed during their visit. The brochure highlights the measurements provided by the analysis and what they can learn from the results.

Model	<b>Description</b>
BCS-G6-ADULT	The whole-body adult only scale is ideal for practices that exclusively see patients 18 and over
BCS-G6-DUO	The whole-body adult/pediatric version is a good choice for providers who see adults and children
BCS-G6-LIMBS	The segmented version provides adults with body composition information about their torso and each of their limbs
BCS-G61-UPPER	The upper-body-only scale provides a partial body composition analysis for adults who do not want to remove shoes and socks
BCS-G6-ADULT-SP	The whole body, adult-only scale is ideal for practices that exclusively see adults and who want a Spanish language report
SS-BCS-G6-ADULT	2 year extended warranty for all versions of the G6 scale
IPO-ADU	Patient Report Template - Adult (5-page report, 25 reports/package)
IPO-PED	Patient Report Template - Pediatric (7-page report, 25 reports/package)
IPO-ATH	Patient Report Template - Athletic (3-page report, 50 reports/package)
IPO-ADU-SP	Spanish Language Patient Report Template - Adult (5-page report, 25 reports/package)
BCS-BROCHURE	Waiting room patient brochure (50/package)
BCS-POWER	Adapter included, item # for replacement or spare











**Power Source:** 6 AA batteries included, 100-240V adapter (not included)

Functions: LB / KG Conversion, LB / KG Lockout, Zero, Tare, Pre-Tare, Hold / Release, Reweigh, Recall, Auto Zero, Auto Off, Motion Detection, Variable Auto-Off Time, Enabling Unit View with Unit of Measure Locked, Auto-Weight Hold for 30 to 60 Seconds, Everlock® Connectivity: optional Pelstar® wireless technology



# 553KL

#### DIGITAL PEDIATRIC TRAY SCALE WITH EXTRA-WIDE TRAY

The 553KL is Health o meter® Professional's most popular infant scale and perfect for newborns, infants and toddlers. The scale operates on batteries or AC power so you can use it anywhere. Practices benefit from one-button operation that makes it easy to use while ensuring that the baby remains safely on the scale.

**Measuring Tape Included:** Easy-to-read measuring tape allows user to measure both weight and height on the same device.

**Motion Detection:** Scale weighs accurately despite movement of the child on the scale, and locks onto the measurement.



Capacity	Resolution	<b>Tray Size</b> (w x d x h)
44 lb / 20 kg	0.5 oz / 10 g	24 %" x 13" x 1 %" 632 mm x 330 mm x 35 mm

Measuring Tape	Display
0" - 24" 0 cm - 58 cm	1" / 25 mm LCD

Model	Description
553KLCT	Scale with rolling cart included
553KG	Scale in kilograms only
553KL-HR	553KL with attachable mechanical height rod
553KG-HR	553KG with attachable mechanical height rod
553KL-EHR	553KL with attachable digital height rod
553KG-EHR	553KG with attachable digital height rod
SS-553KL	2 year extended warranty
553HR	Attachable mechanical height rod for 553 series scales
553EHR	Attachable digital height rod for 553 series scales
2210CART	Rolling cart for 553KL & 553KG
553CASE	Carrying case for 553KL & 553KG
ADPT31	Adapter for 553KL & 553KG
BTPRINTERKIT-01	Wireless thermal printer kit



This easy-to-use scale is perfect for busy pediatric offices or clinics where infants are seen regularly. The tray has a convenient measuring tape to determine the baby's length during the weighing session.

Capacity: 50 lb / 23 kg

**Resolution:** 0 - 20 lb / 0.2 oz; 20 - 50 lb / 0.5 oz; 0 - 9 kg / 5 g; 9 - 23 kg / 10 g

**Tray Size**  $(w \times d \times h)$ : 24 %" x 14 ½" x 2 %"

613 mm x 368 mm x 67 mm

Measuring Tape: 0" - 23" / 0 cm - 58 cm

Display: 1" / 25 mm LCD Connectivity: optional Pelstar®

wireless technology

Power Source: 6 AA batteries included, 100-240V adapter (not included)

Lock Out, Hold / Release, Zero, Tare, Pre-Tare, Reweigh, Recall, Auto Zero, Auto Off, Audible Mute / Sound Option, Variable Auto-Off Time, Enabling Unit View with Unit of Measure Locked, Auto Weight Hold for 30-60 Seconds, Motion Detection, Everlock®

Functions: LB / KG Conversion, LB/ KG

#### **Options & Accessories:**

Model	Description
522KG	Scale in kilograms only
522KL-HR	522KL with attachable mechanical height rod
522KG-HR	522KG with attachable mechanical height rod
522KL-EHR	522KL with attachable digital height rod
522KG-EHR	522KG with attachable digital height rod
SS-522KL	2 year extended warranty
522HR	Attachable mechanical height rod for 522 series scales
522EHR	Attachable digital height rod for 522 series scales
ADPT31	Adapter for 522 series scales
BTPRINTERKIT-01	Wireless thermal printer kit



#### **524KL**

DIGITAL PEDIATRIC SEAT SCALE



The deep infant seat on the 524KL reduces the movement of young children to speed up the weighing process. Weight is captured easily while the seat supports the child's head and body.

Capacity: 50 lb / 23 kg

**Resolution:** 0 - 20 lb / 0.2 oz; 20 - 50 lb /

0.5 oz; 0 - 9 kg / 5 g; 9 - 23 kg / 10 g

Seat Size  $(w \times d \times h)$ : 24 ¼" x 14 ¼" x 18 ½"

616 mm x 362 mm x 470 mm Display: 1" / 25 mm LCD

Connectivity: optional Pelstar® wireless

technology

**Options & Accessories:** 

Power Source: 6 AA batteries included.

100-240V adapter (not included) Functions: LB / KG Conversion, LB / KG Lock Out, Hold / Release, Zero, Tare, Pre-Tare, Reweigh, Recall, Auto Zero, Auto Off, Audible Mute / Sound Option, Variable Auto-Off Time, Enabling Unit View with Unit of Measure Locked, Auto

Weight Hold for 30-60 Seconds, Motion

Detection, Everlock®

Model	Description
524KG	Scale in kilograms only
SS-524KL	2 year extended warranty
ADPT31	Adapter for 524KL & 524KG



DIGITAL PEDIATRIC TRAY SCALE



Lightweight and battery-powered with basic functionality, this scale is a good choice for practices with occasional infant patients or for visiting nurses.

Capacity: 44 lb / 20 kg Resolution: 0.5 oz / 10 g **Tray Size**  $(w \times d \times h)$ : 19 ¼" x 13" x 2 %" 489 mm x 330 mm x 67 mm

Display: %" / 15 mm LCD

Power Source: 9V battery included

**Description** 

Scale in kilograms only Rolling Cart for 549KL & 549KG

Carrying case for 549KL

2 year extended warranty

**Options & Accessories:** 

Model

549KG

2210CART 64760

SS-549KL

display.

Functions: LB / KG Conversion, LB / KG Lock Out, Tare, Auto Zero, Auto Off, Auto Hold, Variable Auto Off Time, Enabling Unit View with Unit of Measure Locked, Auto-Weight Hold for 30 to 60 Seconds, Motion Detection,

Everlock®

#### 550KL

INFANT TO TODDLER. 2 IN 1 DIGITAL SCALE



#### For practices looking to weigh both infants and toddlers, this dual-purpose scale can be used with the infant weighing tray or toddler step-on platform. An easy-touse scale that is lightweight and portable with simple functionality and a digital

Capacity: 44 lb / 20 kg Resolution: 0.5 oz / 10 g Tray Size  $(w \times d \times h)$ : 23 ½" x 8" x 2"

597 mm x 203 mm x 51 mm

**Options & Accessories:** 

**Platform Size**  $(w \times d \times h)$ : 12 ½" x 8 %" x 1 ¼"

318 mm x 219 mm x 32 mm

Display: 1/2" / 13 mm digit height LCD Power Source: 9V battery included Functions: Auto Off, Hold, Tare, Unit

Power Source: 2 AAA batteries included Functions: LB / KG Conversion, Zero.

Tare, Auto Zero, Auto Off

Model	Description
SS-550KL	2 year extended warranty
553CASE	Carrying case for 550KL
2210CART	Rolling cart for 550KL
eBABYHR	Digital height rod for 550KL (purchase with 550EHRBRACKET to mount on scale)
550EHRBRACKET	550KL mounting bracket for eBABYHR (purchase with eBABYHR to mount on scale)

#### 8320KL

DIGITAL PORTABLE PEDIATRIC TRAY SCALE



Excellent choice for visiting nurses who need a lightweight pediatric scale. The folding scale is easy to use and compact to carry in its optional bag.

Capacity: 33 lb / 15 kg Resolution: 0.5 oz / 10 g **Tray Size**  $(w \times d \times h)$ :

23 ½" x 11" x %"

597 mm x 279 mm x 22 mm

**Display:** 3/4" / 19 mm **Options & Accessories:** 

Model	Description
SS-8320KL	2 year extended warranty
64771	Carrying case for 8320KL

#### 2210KL-AM

ANTIMICROBIAL HIGH RESOLUTION DIGITAL NEONATAL / PEDIATRIC TRAY **SCALE** 





ANTIMICROBIAL HIGH RESOLUTION DIGITAL NEONATAL/PEDIATRIC SCALE WITH 4-SIDED TRAY





The 2210KL-AM neonatal scale was designed for use in the NICU, delivery room, nursery and pediatric practices where a high degree of accuracy is critical to ensure that babies are gaining weight. A convenient mobile acute care cart designed exclusively for the 2210KL-AM series of scales is available to easily move the scale from location to location.

Capacity: 45 lb / 20 kg / 20,000 gm **Resolution:** 1 g (to 10,000 g); 5 g (10,001 to 20,000 g) **Tray Size**  $(w \times d \times h)$ : 24" x 15 ¼" x 2 ¾" 610 mm x 388 mm x 71 mm

4 levels of brightness

wireless technology

**Options & Accessories:** 

Power Source: 6 D batteries included,

100-240V adapter included

Functions: LB / KG / GM Conversion, LB / KG / GM Lock Out, Zero, Tare, Pre-tare, Reweigh, Recall, Auto Zero, Auto Off, Motion Detection, Everlock®, Display: 5 ¼" x 1 1/8" (133 mm x 35 mm), Hold / Release, Variable Auto Off Time, Audible / Mute Sound Option, Disable / **Connectivity:** via USB, optional Pelstar<sup>®</sup> Enable Backlight for Display, Enabling Unit View with Unit of Measure Locked, Measuring Tape: 0" - 24"/ 0 cm - 60 cm Auto Weight Hold for 30 to 60 seconds,

Breast Milk Intake

Model	Description
2210KG-AM	Scale in kilograms only
2210KL-AM-BT	2210KL-AM with built-in Pelstar® wireless technology
2210KG-AM-BT	2210KG-AM with built-in Pelstar® wireless technology
2210KL-AM-C	Scale, Canada only
2210KG-AM-C	Scale in kilograms only, Canada only
2210KL-AM-BT-C	2210KL-AM with built-in Pelstar® wireless technology, Canada only
2210KG-AM-BT-C	2210KG-AM with built-in Pelstar® wireless technology, Canada only
2210EHR	Attachable digital height rod for 2210KL-AM (2-sided tray scale)
SS-2210KL	2 year extended warranty
2210CART-AC	Acute care cart for 2210KL-AM series of scales
ADPT30	Adapter included, item # for replacement or spare
BTPRINTERKIT-01	Wireless thermal printer kit

The 2210KL4-AM neonatal scale comes with a 4-sided weighing tray, which provides an additional level of safety and protection for the baby during the weighing process.

Capacity: 45 lb / 20 kg / 20,000 gm **Resolution:** 1 g (to 10,000 g); 5 g (10,001 to 20,000 g) Tray Size  $(w \times d \times h)$ : 26 1/2" x 15 1/4" x 2 3/4" 674 mm x 388 mm x 71 mm 4 levels of brightness

wireless technology

**Options & Accessories:** 

Power Source: 6 D batteries included, 100-240V adapter included

Functions: LB / KG / GM Conversion, LB / KG / GM Lock Out, Zero, Tare, Pre-tare, Reweigh, Recall, Auto Zero, Auto Off, Motion Detection, Everlock®, Display: 5 1/4" x 1 1/8" (133 mm x 35 mm), Hold / Release, Variable Auto Off Time, Audible / Mute Sound Option, Disable / **Connectivity:** via USB, optional Pelstar<sup>®</sup> Enable Backlight for Display, Enabling Unit View with Unit of Measure Locked, Measuring Tape: 0" - 24"/ 0 cm - 60 cm Auto Weight Hold for 30 to 60 Seconds, Breast Milk Intake

Model	Description
2210KG4-AM	Scale in kilograms only
2210KL4-AM-BT	2210KL4-AM with built-in Pelstar® wireless technology
2210KG4-AM-BT	2210KG4-AM with built-in Pelstar® wireless technology
2210KL4-AM-C	Scale, Canada only
2210KG4-AM-C	Scale in kilograms only, Canada only
2210KL4-AM-BT-C	2210KL4-AM with built-in Pelstar® wireless technology, Canada only
2210KG4-AM-BT-C	2210KG4-AM with built-in Pelstar® wireless technology, Canada only
SS-2210KL	2 year extended warranty
2210CART-AC	Acute care cart for 2210KL-AM series of scales
ADPT30	Adapter included, item # for replacement or spare
BTPRINTERKIT-01	Wireless thermal printer kit

HIGH RESOLUTION DIGITAL **BABY SCALE** 





The 565KL was designed for use in critical settings such as the NICU, nursery, delivery room, and pediatric practices. Its exceptional accuracy is especially crucial when caring for the tiniest patients.

Capacity: 44 lb / 20 kg

**Resolution:** 0 - 44 lb x 0.1 oz / 0 -6,000 g x 1g / 6,001 g - 20,000 g x 2 g

**Tray Size**  $(w \times d \times h)$ : 24 %" x 9 %" x 2 34"

632 mm x 250 mm x 70 mm Display: Digit Size: 34" / 19 mm, Screen Size: 3" x 1" LCD display

technology

#### **Options & Accessories:**

**Measuring Tape:** 0" - 24 %"/ 0 cm - 62.5 cm

**Power Source:** 

100-240V Adapter included, 6 AA batteries

not included

Functions: LB / KG Conversion, LB / KG Lock Out, Zero, Tare,

Pre-tare, Reweigh, Recall, Auto Zero, Auto Off, Motion Detection, Everlock®, Hold / Connectivity: optional Pelstar® wireless Release, Variable Auto Off Time, Audible / Mute Sound Option, Auto Weight Hold for up

to 5 Minutes

Model	Description
565KG	Scale in kilograms only
565KL-C	Scale, Canada only
565KG-C	Scale in kilograms only, Canada only
565EHR	Attachable digital height rod for 565 series scales
2210CART	Rolling cart for 565KL & 565KG
SS-565KL	2 year extended warranty
69-00001	Adapter included, item # for replacement or spare
BTPRINTERKIT-01	Wireless thermal printer kit

#### 1522KL

MECHANICAL PEDIATRIC BEAM SCALE



This high capacity pediatric tray scale is perfect for small infants or young children who can sit independently. The mechanical poise bar does not require electricity, allowing the scale to be used anywhere.

Capacity: 135 lb / 62 kg **Graduation:** 1 oz / 20 g Tray Size  $(w \times d \times h)$ : 24" x 16 ½" x 2 %"

610 mm x 420 mm x 70 mm

Measuring Tape: 0" - 23 3/4" / 0 cm - 60 cm

Functions: Weighs in pounds and kilograms, measures length in inches

and centimeters

#### 1524KL

MECHANICAL PEDIATRIC SEAT SCALE



The built-in chair on the 1524KL is convenient for use with infants who are unable to sit; it can also help small children keep still for weight measurements. The mechanical poise bar does not require electricity, allowing the scale to be used anywhere.

Capacity: 130 lb / 65 kg **Graduation:** 1 oz / 20 g **Seat Size**  $(w \times d \times h)$ : 24 ¼" x 14 ¼" x 18 ½"

622 mm x 362 mm x 470 mm

Functions: Measures weight in pounds

and kilograms

#### 386S-01 / 386KGS-01

MECHANICAL TRAY SCALE
POUNDS ONLY / KILOGRAMS ONLY



These economical mechanical tray scales are simple to use and include a built-in measuring tape. The sturdy body and convenient handle make it a great choice for visiting nurses.

**Graduation:** 

386S-01: 1/4 lb

**386KGS-01:** 100 g

Capacity:

**386S-01:** 50 lb **386KGS-01:** 25 kg

**Tray Size** (w x d x h): 19  $\frac{3}{8}$ " x 12  $\frac{3}{8}$ " x 3  $\frac{3}{4}$ "

492 mm x 314 mm x 95 mm

Dial Size: 3"/ 76 mm

**Measuring Tape:** 0" - 18"/ 0 cm - 46 cm

**Functions:** 

**386S-01:** Measures weight in pounds. **386KGS-01:** Measures weight in kilograms.

#### **BABYSLINGSCALE**

HANGING PEDIATRIC SCALE



This scale is an economical, portable option for use with young children that are able to hold their heads up. The large dial makes it easy to read.

**Capacity:** 25 kg **Functions:** Measures weight in

**Graduation:** 100 g kilograms

**Dial Size:**  $5 \frac{1}{2}$ " / 140 mm **Options and Accessories:** 

Model	Description
BABYSLING	Additional sling / trouser

#### 3400KL / 3401KL

DIGITAL WET DIAPER / LAP SPONGE / ORGAN SCALE



The solid, industrial design of the 3400KL includes a stable, stainless steel base and removable, stainless steel weighing pan (3401KL comes with a flat tray) that can be autoclaved for sterilization. Powered by a long-life rechargeable battery and backlit for any lighting level, this portable scale can be used in any environment, from OR to ED to NICU and beyond.

Capacity: 176 oz / 5,000 g

Resolution: 0.05 oz / 1 g

Base Size (w x d x h):

11 ½" x 9 %" x 5 ¼"

292 mm x 250 mm x 133 mm

**Pan Size (3400KL/ 3400KG)** (w x d x h):

10" x 9 %" x 2 ½"

254 mm x 250 mm x 62 mm

Tray Size (3401KL) ( $w \times d \times h$ ):

7 <sup>3</sup>4" x 9 <sup>3</sup>4" x <sup>5</sup>8"

197 mm x 248 mm x16 mm **Display:** %" / 16 mm LCD **Power Source:** 6V rechargeable

battery included, 100 - 240V AC

battery charger included

**Functions:** Zero, Tare, Auto Zero, Auto Off, g / oz Conversion,

Low Battery Indicator, Backlit Display

#### **Options & Accessories:**

Model	Description
3400KG	Scale with pan, kilograms only
3401KL	Scale with tray
3400KG-C	Scale with pan, kilograms only, Canada only
SS-3400KL	2 year extended warranty
SS-3400KG	2 year extended warranty
SS-3400KG-C	2 year extended warranty
SS-3401KL	2 year extended warranty
3400PAN	3 pack of stainless steel pans
3400TRAY	3 pack of stainless steel trays
3400ADPT	Battery charger for 3400KL, 3400KG, & 3401KL
20-00018	Battery charger for 3400KG-C



#### **YG500R**

MECHANICAL DIAPER /
SMALL PLATFORM SCALE



Perfect for facilities that occasionally need to weigh small items, this cost-effective scale is a great choice.

**Capacity:** 500 g **Graduation:** 2 g

**Platform Size**  $(w \times d \times h)$ :

6 ½" x 4 ¾"

152 mm x 121 mm **Dial Size:** 6" / 152 mm

Functions: Measures weight in grams









**Power Source:** 100-240V adapter included,

6 D batteries (not included)

**Functions:** LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Everlock®, Audible / Mute Sound Option



### 2600KL / 2610KL

DIGITAL WHEELCHAIR RAMP SCALE / DIGITAL WHEELCHAIR DUAL RAMP SCALE

Our most popular wheelchair scale is also the most versatile, and is a good choice for any facility. The platform folds for convenient storage and the casters (the only scale in the market that has them!) make transport a breeze. For easy on/off access the 2610KL offers dual ramps.

**EMR Capable:** Scale interfaces with a computer, EMR software or other electronic device via Health o meter® Professional Connectivity Solutions.

#### **Casters and Folding Ramps for Easy Portability and Storage:**

4 wheels, including 2 casters, afford ease of movement and the folding ramps make it simple to store.

**Wide Platform for Wheelchair or Bariatric Use:** Wide platform accommodates wheelchairs of all sizes and provides a comfortable weighing experience for bariatric patients.

**Calculates BMI:** Scale functions include the ability to calculate patient's BMI.



Capacity	Resolution	Platform Size (w x d x h)
1000 lb / 454 kg	0.2 lb / 0.1 kg	36" x 32 ¼" x 2 ½" 914 mm x 819 mm x 64 mm

#### **Display**

Digit Size: %" / 10 mm, Screen Size: 2 34" x 1 1/2" High-Contrast Color TFT-LCD Screen

Wheels: 4, Connectivity:

including 2 casters USB, optional Pelstar® wireless technology

**Options & Accessories:** 

Model	Description
2600KG	Scale in kilograms only
2610KG	Scale in kilograms only
2600KL-BT	2600KL with built-in Pelstar® wireless technology
2610KL-BT	2610KL with built-in Pelstar® wireless technology
2600KG-BT	2600KG with built-in Pelstar® wireless technology
2610KG-BT	2610KG with built-in Pelstar® wireless technology
SS-2600KL	2 year extended warranty
SS-2610KL	2 year extended warranty
ADPT30	Adapter included, item # for replacement or spare
B2600RAMP	Secondary ramp for 2600KL & 2600KG
BTPRINTERKIT-01	Wireless thermal printer kit

2610 series not available in all countries.

DIGITAL WHEELCHAIR RAMP SCALE



This single-ramp wheelchair scale is perfect for use with standard size wheelchairs. To weigh patients in a seated position, a chair accessory is also available, item # CHAIRACC.

**Capacity:** 1,000 lb / 454 kg **Resolution:** 0.2 lb / 0.1 kg

**Platform Size:** 

29 %" (w) x 28 ¼" (d) x 2 %" (h) 746 mm (w) x 718 mm (d) x 60 mm (h)

**Display:** Digit Size: %" / 10 mm Screen Size: 2 %" x 1 ½" High-Contrast

Color TFT-LCD Screen

Connectivity: USB, optional Pelstar®

wireless technology

Wheels: 2

**Power Source:** 100-240V adapter included, 6 D batteries (not included) **Functions:** LB / KG Conversion,

LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Audible / Mute Sound Option,

Everlock®

#### **Options and Accessories:**

Model	Description
2500KG 2500KL-BT 2500KG-BT SS-2500KL CHAIRACC ADPT30 B2500RAMP	Scale in kilograms only 2500KL with built-in Pelstar® wireless technology 2500KG with built-in Pelstar® wireless technology 2 year extended warranty Optional fold away seat Adapter included, item # for replacement or spare Secondary ramp for 2500KL and 2500KG
BTPRINTERKIT-01	Wireless thermal printer kit





#### 2500CKL

DIGITAL WHEELCHAIR RAMP SCALE WITH FOLD AWAY SEAT



Facilities looking for a scale that can be used with wheelchairs and takes advantage of a built-in chair, should consider the 2500CKL, which features both a ramp and a folding patient seat.

Platform Capacity: 1000 lb / 454 kg Seat Capacity: 419 lb / 190 kg Resolution: 0.2 lb / 0.1 kg Platform Size (w x d x h): 29 %" x 28 ¼" x 2 %"

\_ . . . \_ . . \_ . . .

746 mm x 718 mm x 60 mm

**Seat Size** (w x d x h): 18" x 15" x 18 ½"

Screen Size: 2 ¾" x 1 ½" High-Contrast

457 mm x 381 mm x 470 mm **Display:** Digit Size: %" / 10 mm,

Color TFT-LCD Screen

Connectivity: USB, optional Pelstar®

wireless technology

Wheels: 2

Power Source: 100-240V adapter included,

6 D batteries (not included) **Functions:** LB / KG Conversion,

LB / KG Lock Out, BMI, Zero, Tare, Pre-tare Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Audible / Mute Sound Option, Everlock®

Model	Description
2500CKG SS-2500CKL ADPT30 B2500RAMP BTPRINTERKIT-01	Scale in kilograms only 2 year extended warranty Adapter included, item # for replacement or spare Secondary ramp for 2500CKL Wireless thermal printer kit



DIGITAL WHEELCHAIR DUAL RAMP SCALE



Facilities frequently weighing patients in wheelchairs will appreciate the 2650KL, which offers a remote display head and a medium-sized platform and folds for convenient storage. The dual ramps make it easy to wheel patients on and off the platform. Like all wheelchair scales, the 2650KL can be used for walk-on patients, as well.

**Capacity:** 1000 lb / 454 kg **Resolution:** 0.2 lb / 0.1 kg **Platform Size** (w x d x h):
31 ½" x 31 ½" x 2"

800 mm x 800 mm x 51 mm **Display:** Digit Size: %" / 10 mm,

Screen Size: 2 %" x 1 ½" High-Contrast

Color TFT-LCD Screen

Connectivity: USB, optional Pelstar®

wireless technology

Options & Accessories:

BTPRINTERKIT-01

Wheels: 2

Power Source: 100-240V adapter included, 6 D batteries (not included)
Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Everlock®, Audible / Mute Sound

Option

Model	Description
2650KG 2650KL-BT 2650KG-BT	Scale in kilograms only 2650KL with built-in Pelstar® wireless technology 2650KG with built-in Pelstar® wireless technology
SS-2650KL	2 year extended warranty
ADPT30	Adapter included, item # for replacement or spare


Wireless thermal printer kit





#### 2700KL

DIGITAL WHEELCHAIR DUAL RAMP SCALE WITH EXTRA LARGE PLATFORM



Featuring the largest platform in the wheelchair scale collection, the 2700KL can easily accommodate even the widest wheelchair. It is a good choice in facilities where the scale will remain in one location.

Capacity: 1000 lb / 454 kgResolution: 0.2 lb / 0.1 kgPlatform Size (w x d x h):

43" x 42" x 2 ½"

1092 mm x 1067 mm x 64 mm **Display:** Digit Size: %" / 10 mm, Screen Size: 2 %" x 1 ½" High-Contrast

Color TFT-LCD Screen

Connectivity: USB, optional Pelstar®

wireless technology

Wheels: 2

Power Source: 100-240V adapter included, 6 D batteries (not included)
Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Everlock®, Audible / Mute Sound Option

Model	Description
2700KG 2700KL-BT 2700KG-BT SS-2700KL ADPT30 BTPRINTERKIT-01	Scale in kilograms only 2700KL with built-in Pelstar® wireless technology 2700KG with built-in Pelstar® wireless technology 2 year extended warranty Adapter included, item # for replacement or spare Wireless thermal printer kit





#### 2900KL-AM

ANTIMICROBIAL WALL-MOUNTED FOLD-UP WHEELCHAIR SCALE



#### 2400KL

DIGITAL PORTABLE WHEELCHAIR SCALE



#### 2842KL

LARGE PLATFORM DIGITAL SCALE



The 2900KL-AM is the perfect scale for facilities that need to save space. The low profile scale extends off the wall 3.5" when folded up and has a large easyto-lift platform that accommodates most wheelchairs.

Capacity: 1000 lb / 400 kg Resolution: 0.2 lb / 0.1 kg **Platform Size**  $(w \times d \times h)$ : 29 ½" x 32 ½" x 2 ¾"

749 mm x 819 mm x 70 mm Display: Digit Size: 3/8" / 10 mm,

Screen Size: 2 3/4" x 1 1/2" High-Contrast

Color TFT-LCD Screen

#### Connectivity: USB, optional Pelstar®

wireless technology

Power Source: 100-240V adapter included, 6 D batteries (not included) Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Everlock®, Audible / Mute Sound Option

#### **Options & Accessories:**

Model	Description
2900KG-AM	Scale in kilograms only
2900KL-AM-BT	2900KL- AM with built-in Pelstar® wireless technology
2900KG-AM-BT	2900KG-AM with built-in Pelstar® wireless technology
SS-2900KL	2 year extended warranty
ADPT30	Adapter included, item # for replacement or spare
BTPRINTERKIT-01	Wireless thermal printer kit



The 2400KL is the perfect scale for locations where occasional wheelchair-bound patients need to be weighed. The scale folds easily and requires minimal room for storage. The scale includes a handle for portability.

Capacity: 800 lb / 363 kg Resolution: 0.2 lb / 0.1 kg

Platform Size: Expands and adjusts from 25 ¾" - 50 ½" / 654 mm - 1273

mm

Display: Digit Size: %" / 10 mm, Screen Size: 2 ¾" x 1 ½" High-Contrast

Color TFT-LCD Screen

Connectivity: USB, optional Pelstar®

wireless technology

Wheels: 2 wheels, 2 casters Power Source: 100-240V adapter included, 6 D batteries (not included) Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Everlock®, Audible / Mute Sound

Option

Model	Description
2400KG	Scale in kilograms only
2400KL-BT	2400KL with built-in Pelstar® wireless technology
2400KG-BT	2400KG with built-in Pelstar® wireless technology
SS-2400KL	2 year extended warranty
ADPT30	Adapter included, item # for replacement or spare
BTPRINTERKIT-01	Wireless thermal printer kit



With its large platform and stainless steel base, the 2842KL can serve in multiple capacities. It can be used as a basic stand-on scale with an extra-large platform, and it can also be used in shipping/receiving or in laundry areas.

Capacity: 600 lb / 270 kg Resolution: 0.2 lb / 0.1 kg **Platform Size**  $(w \times d \times h)$ :

22 ¼" x 42" x 2 ½"

565 mm x 1067 mm x 64 mm Display: %" / 22 mm LCD

**Options & Accessories:** 

Model	Description
SS-2842KL	2 year extended warranty
ADPT31	Adapter included, item # for replacement or spare



Power Source: 100-240V adapter

Tare, Motion Detection, Reweigh

included, 6 C-cell batteries (not included)

Functions: LB / KG Conversion, Zero,

DIGITAL CHAIR SCALE



This best-selling chair scale has a comfortable seat so patients can sit safely while being weighed. The moveable armrests and footrests allow for easy access on and off the scale. A great scale for use in Long-Term Care centers, rehab facilities, and senior living homes.

Capacity: 600 lb / 272 kgResolution: 0.2 lb / 0.1 kgSeat Size  $(w \times d \times h)$ :

18 ¼" (w) x 15 %" (d) x 16 ½" 464 mm x 397 mm x 419 mm

**Display:** 1 1/8" / 29 mm LCD

Connectivity: USB

**Options and Accessories:** 

Wheels: 2

**Power Source:** 100-240V adapter included, 6 C-cell batteries (not included)

**Functions:** LB / KG Conversion, LB / KG Lock Out, Zero, Tare, Auto Off

Model	Description
SS-2595KL	2 year extended warranty
ADPT30	Adapter included, item # for replacement or spare



#### **594KL**

DIGITAL CHAIR SCALE



The 594KL has moveable arm and foot rests to allow for easy patient access on and off this economical chair scale. Two wheels make portability easy for bringing the scale to the patient's location.

**Capacity:** 600 lb / 270 kg **Resolution:** 0.2 lb / 0.1 kg

**Seat Size** (w x d): 18" x 18 ½"

457 mm x 470 mm **Display:** 1" / 25 mm LCD

Wheels: 4 casters

**Power Source:** 100-240V adapter included, 6 AA batteries (not included)

Functions: LB / KG Conversion,

LB / KG Lock Out, BSA, BMI, Zero, Tare, Hold / Release, Auto Zero, Auto Off

#### 445KL

MECHANICAL CHAIR SCALE



#### **Options and Accessories:**

Model	Description
594KL-C	Scale, Canada only
SS-594KL	2 year extended warranty
69-00001	Adapter included, item # for replacement or spare

Nursing homes, rehab hospitals and facilities that treat elderly or unstable patients may find this basic chair scale an appropriate choice for weighing their patients.

Capacity: 440 lb / 200 kg Graduation: ¼ lb / 100 g Seat Size (w x d x h): 18 ½" x 17 ¼" x 15 ¾"

470 mm x 438 mm x 400 mm



Wheels: 2

Functions: Measures weight in pounds

and kilograms





**Power Source:** 3.7V rechargeable battery **Functions:** Zero, Hold / Release, Auto Off

Always use a Slide Sheet when using the Patient Transfer Scale



Check out the Single Patient Use and Reusable SlideMate™



# **PTS-1000KG**

Patient Transfer Scale, Kilograms Only

A transfer board with a built-in medical scale, the PTS-1000KG is designed to significantly reduce treatment times in stroke protocols or other time-sensitive medical conditions where precise weight measurement of immobile patients is crucial. The scale is lightweight, portable, and can be utilized as part of an existing patient transfer process without disrupting the patient flow process. Health o meter® Professional Scales warrants that the Patient Transfer Scale will be accurate to within 500 grams so long as the scale is properly used and maintained.

**Designed by a Clinician for Clinicians:** Weigh critical or immobile patients instantly and accurately helping shorten door-to-needle times.





Capacity	Resolution	Weighing Mat Size (w x d):
250 kg	0.5 kg	71" x 21" 1805 mm x 533 mm

Measuring Tape	Display
100 cm -180 cm height guide on mat	3" x 1" Backlight LCD Screen

#### **Options & Accessories:**

Model	Description
PTS-1000KL	Scale, lbs and kilograms
PTS-1000KL-C	Scale, lbs and kilograms, Canada only
PTS-1000KG-C	KG only scale, Canada only
SS-PTS-1000KL	2 year extended warranty
69-00012	Battery charger included, item # for replacement or spare

# **Specialty Scales**

#### 3400KL / 3401KL

DIGITAL WET DIAPER / LAP SPONGE / ORGAN SCALE



2000KL

DIGITAL IN-BED / STRETCHER SCALE



**YG500R** 

MECHANICAL DIAPER / SMALL PLATFORM SCALE



The solid, industrial design of the 3400KL includes a stable, stainless steel base and removable, stainless-steel weighing pan (3401KL comes with a flat tray) that can be autoclaved for sterilization. Powered by a long-life rechargeable battery and featuring a backlit display for all lighting levels, this portable scale can be used in environments, from OR to ED to NICU and beyond.

**Capacity:** 176 oz / 5,000 g **Resolution:** 0.05 oz / 1 g

**Base Size** (w x d x h): 11 ½" x 9 %" x 5 ¼"

292 mm x 250 mm x 133 mm **Display:** %" / 16 mm LCD

**Pan Size** (w x d x h): 10" x 9 %" x 2 ½"

254 mm x 250 mm x 64 mm **Options and Accessories:** 

**Tray Size:** 7 %" (w) x 9 %" (d) x %" (h) 197 mm (w) x 248 mm (d) x 16 mm (h) **Power Source:** 6V rechargeable battery included, 100 - 240V AC battery charger **Functions:** Zero, Tare, Auto Zero, Auto Off, g / oz Conversion, Low Battery

Indicator, Backlit Display

Model	Description
3400KG	Scale with pan, kilograms only
3401KL	Scale with tray
3400KG-C	Scale with pan, kilograms only, Canada only
SS-3400KL	2 year extended warranty
SS-3400KG	2 year extended warranty
SS-3400KG-C	2 year extended warranty
SS-3401KL	2 year extended warranty
3400PAN	3 pack of stainless steel pans
3400TRAY	3 pack of stainless steel trays
3400ADPT	Battery charger for 3400KL, 3400KG, & 3401KL
20-00018	Battery charger for 3400KG-C



This scale can weigh immobile patients up to 400 lb / 181 kg. It has a durable steel structure, fabric sling, and wheels for portability.

Capacity: 400 lb / 181 kg Resolution: 0.2 lb / 0.1 kg Stretcher Size (w x d):

70 ½" x 30"

1791 mm x 762 mm

Display: Digit Size: %" / 10 mm, Screen Size: 2 %" x 1 ½" High-Contrast Color TFT-LCD Screen Connectivity: USB, optional Pelstar®

wireless technology

Wheels: 4 (1 with safety lock)

Power Source: 100-240V adapter included, 6 D batteries (not included)

Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Pre-tare, Hold / Release, Recall, Reweigh, Auto Zero, Auto Off, Time / Date, Variable Auto Off Time, Everlock®, Audible / Mute Sound Option

#### Options and Accessories:

Model	Description
2000KG	Scale in kilograms only
2000KL-BT	2000KL with built-in Pelstar® wireless technology
2000KG-BT	2000KG with built-in Pelstar® wireless technology
SS-2000KL	2 year extended warranty
ADPT30	Adapter included, item # for replacement or spare
BTPRINTERKIT-01	Wireless thermal printer kit



Perfect for facilities that occasionally need to weigh small items, this cost-effective scale is a great choice.

Capacity: 500 gGraduation: 2 gPlatform Size ( $w \times d$ ):

6 ½" x 4 ¾"

152 mm x 121 mm **Dial Size:** 6" / 152 mm

**Functions:** Mechanically measures weight in grams.

00



DIGITAL GLASS SCALE WITH ANTI-SLIP TREAD & BACKLIGHT



The 810KL is a high capacity medical grade home care scale with exclusive antislip tread and an easy-to-read backlit display. Designed for use in the bathroom / home, with accuracy and features of a professional medical scale.

Capacity: 440lb / 200 kgResolution: 0.2 lb / 0.1 kgPlatform Size (w x d x h):

13" x 13" x %"

311 mm x 311 mm x 44 mm

Display: 1 %" LCD
Options & Accessories:

Power Source:	(2) 3V	lithium	batteries
---------------	--------	---------	-----------

included

**Functions:** LB / KG Switch, Auto Zero, 5 Second Weight Hold, Auto Off

Power Source: (2) AA batteries included

Functions: LB / KG Switch, Auto Zero,

5 Second Weight Hold, Auto Off

Model	Description
64771	Carrying case for 810KL

#### 800KL

DIGITAL FLOOR SCALE (PACK OF 4)



Our popular digital bath-style scale is great for use in the home with its simple design and its ability to match any décor. A great option for visiting nurses and health assessment professionals.

**Capacity:** 397 lb / 180 kg **Resolution:** 0.1 lb / 0.05 kg **Platform Size** (w x d x h):  $12 \frac{14}{3}$  x  $12 \frac$ 

311 mm x 311 mm x 44 mm Display: 1 ½" / 38 mm LCD Options & Accessories:

Model	Description
800KLS	Digital floor scale (single)
64771	Carrying case for 800KL

#### 880KL

HEAVY-DUTY DIGITAL FLOOR SCALE (PACK OF 4)



With its non-slip surface, the 880KL is the best choice for large or unstable patients. The robust design offers the largest platform available and an extralarge digital display. The display's size makes it easier to read than any of our other bath scales and is great for use in a clinic setting or for home health.

Capacity: 500 lb / 220 kg Resolution: 0.2 lb / 0.1 kg Platform Size (w x d x h):

17" x 13" x 1 ¼"

432 mm x 330 mm x 33 mm Display: 2 ½" / 64 mm LCD Options & Accessories:

Power Source:	(2) 3V	lithium
---------------	--------	---------

batteries included

Functions: LB / KG / ST Switch,

Auto Off, 10 Second Weight Hold, Zero

Model	Description
880KLS	Heavy-duty digital floor scale (single)
64769	Carrying case for 880KL



DIGITAL FLOOR SCALE (PACK OF 2)



The 844KL offers a high capacity paired with the highest resolution in the bath scale line. A good option for patients who need greater precision in their weight measurement.

Capacity: 440 lb / 200 kg **Resolution:** 0.1 lb / 0.05 kg

**Platform Size:** 

12 %" (w) x 12 %" (d) x 1 %" 321 mm x 321 mm x 48 mm **Display:** 1 ¼" / 32 mm LCD

**Options & Accessories:** 

Power Source: (2) 3V lithium

batteries included

Functions: LB / KG / ST Switch, Auto Zero, Auto Off, 5 Second

Weight Hold

Model	Description
844KLS	Digital floor scale (single)
64771	Carrying case for 844KL

#### **349KLX**

DIGITAL FLOOR SCALE



The 349KLX is a versatile scale that can be used in a host of locations. Users can place the remote display head where it is easiest for them to read the weight. The scale's small footprint makes it a great choice for home use.

Capacity: 400 lb / 180 kg Resolution: 0.2 lb / 0.1 kg **Platform Size**  $(w \times d \times h)$ : 12 ½" (w) x 12" (d) x 1 %" 318 mm x 305 mm x 48 mm Display: 1" / 25 mm LCD Power Source: 6 AA batteries included, 120V adapter (not included)

**Options & Accessories:** 

Model	Description
349KLXAD	Scale with adapter included
349KGX	Scale in kilograms only
SS-349KLX	2 year extended warranty
ADPT40	Adapter for 349KLX
64771	Carrying case for 349KLX

Functions: LB / KG Conversion, LB / KG Lock Out, Zero, Tare, Hold/ Release, Reweigh, Auto Zero, Auto Off, Variable Auto Off Time, Parent / Child Weighing Function, Enabling Unit View with Unit of Measure Locked, Enable / Disable Backlight Display with 4 Levels of Brightness, Everlock®







#### DIGITAL FLOOR SCALE (PACK OF 2)

This easy to transport scale offers high resolution with a wide platform to make it easier for patients with a wide stance. A versatile scale that is ideal for many uses including traveling healthcare professionals, diet groups, and home use.

**Large 1 ½" LCD Display:** The large display shows the user an easy-to-read weight measurement.

**5-Second Weight Hold:** Weight measurement will stay displayed for 5 seconds allowing the user time to stabilize themselves after stepping off the scale.

**Low Profile Platform:** Low platform height requires only minimal step up, offering patient a comfortable and stable weighing experience.

Capacity	Resolution	Platform Size (w x d x h):
400 lb / 180 kg	0.1 lb / 0.05 kg	12 ¾" x 10 ¾" x 1 ½" 349 mm x 273 mm x 38 mm

#### Display

1 1/2" LCD

**Power Source:** (2) AAA batteries included **Functions:** LB / KG Switch, Auto Zero, 5 Second Weight Hold, Auto Off

#### **Options & Accessories:**

Model	Description
822KLS	Digital floor scale (single)
64771	Carrying case for 822KL

#### 100LB / 100KG

MECHANICAL FLOOR SCALE -POUNDS ONLY / KILOGRAMS ONLY (PACK OF 3)



Simple and lightweight, these mechanical scales are ideal for home use or by visiting nurses.

**Graduation:** 

**Functions:** 

**100LB**: 1 lb

100KG: .5 kg

**100LB:** Measures weight in pounds. **100KG:** Measures weight in kilograms.

Functions: Mechanically measures

weight in pounds.

Capacity:

**100LB:** 270 lb **100KG:** 125 kg

**Platform Size** (w x d x h): 10 ¼" x 10"x 1 %"

260 mm x 254 mm x 48 mm

**Dial Size:** 2" / 51 mm **Options and Accessories:** 

Model	Description
100LBS 100KGS	Mechanical floor scale – pounds only (single)  Mechanical floor scale – kilograms only (single)
64771	Carrying case for 100LB/100KG

#### 175LB

MECHANICAL FLOOR SCALE - POUNDS ONLY (PACK OF 2)



When only pounds measurements are required, the 175LB offers a large, easy to read dial on a low profile platform. A great product for home use.

Capacity: 330 lb Graduation: 1 lb

**Platform Size**  $(w \times d \times h)$ :

11 %" x 9 ¾" x 2"

289 mm x 248 mm x 51 mm

**Dial Size:** 3" / 89 mm

**Options and Accessories:** 

Model	Description
64771	Carrying case for 175LB

All Health o meter® Professional scales are manufactured in FDA-registered factories.

MECHANICAL FLOOR SCALE (PACK OF 2)



For use in the home or clinic, the 142KL is a good option for patients who require a spacious platform and large dial. The scale is also a good choice for weight loss programs.

and kilograms.

Functions: Measures weight in pounds

Functions: Measures weight in pounds

**Capacity:** 330 lb / 150 kg **Graduation:** 1 lb / 0.5 kg

Platform Size: 11 ½" x 10 ¾" x 2 ¼"

292 mm x 273 mm x 57 mm Dial Size: 6 ¼" / 159 mm Options and Accessories:

Model	Description
142KLS	Mechanical floor scale (single)

#### 160KL

MECHANICAL FLOOR SCALE (PACK OF 2)



This classic "Bigfoot" scale has a deep platform with non-slip surface and an 8" easy-to-read raised dial—good for patients with vision challenges or those who prefer more foot room.

and kilograms.

Capacity: 400 lb / 180 kg Graduation: 1 lb / 1 kg Platform Size (w x d x h):

 $11" \times 12 \frac{1}{2}" \times 3"$ 

279 mm x 318 mm x 76 mm

**Dial Size:** 8" / 203 mm, raised 4" / 102

mm

Mechanical floor scale—pounds only (2 pack)
Mechanical floor scale-kilograms only (2 pack)
Mechanical floor scale (single)
Mechanical floor scale—pounds only (single)
Mechanical floor scale-kilograms only (single)

All Health o meter® Professional scales are manufactured in FDA-registered factories.



#### **201HR**

WALL-MOUNTED TELESCOPIC METAL HEIGHT ROD



#### TOP SELLER

Sleek and robust measuring device requires minimal wall space and has a foldable headpiece. Designed for long life and to withstand dozens of uses every day.

**Measurement Range:** 2" - 90" / 6 cm - 230 cm

Graduation: 1/16" / 1 mm

#### **205HR**

HIGH-STRENGTH WALL-MOUNTED **HEIGHT ROD** 



Manufactured with a durable high-strength plastic polymer, this sturdy stadiometer resists bending and ensures that the headpiece slides smoothly. Featuring a double sided measuring tape, it offers a choice of centimeters only or feet and inches.

Measurement Range: 55.5" / 141 cm Measuring Tape: 0" - 90" / 0 cm - 230 cm

**Graduation:** 1/16" / 1 mm

#### **PORTROD**

WALL-MOUNTED HEIGHT ROD



With its large headpiece and clear indicator the PORTROD stadiometer makes it easy to read a patient's height. Its wall mount design is easy and quick requiring only simple tools and provided hardware.

Measurement Range: 23 %" - 83" / 60 cm - 213 cm

**Graduation:** 1/16" / 1 mm

#### **WMROD**

402KLROD WITH ANCHORS AND SCREWS



Included on the 402KL scale, this metal height rod can be purchased separately to mount on the wall for adult or pediatric use.

Measurement Range: 11 %" - 84" / 30 cm - 213 cm

Graduation: 1/8" / 1 mm

#### **221HR**

TAA COMPLIANT PORTABLE STADIOMETER WITH CARRYING CASE



Designed to meet the needs of doctor's offices, schools, home health and traveling clinicians, features an easy to assemble/ disassemble structure and a large sturdy anti-slip base. The long headpiece adds comfort for patients of all sizes and the large view finder provides an easy-to-read accurate measurement.

Measurement Range: 7" - 82.6" / 17.7 cm - 210 cm

**Graduation:** 1/16" / 1 mm

**Carrying Case Size** (w x d x h): 25" x 5" x 15"/ 635 mm x 127 mm x 381 mm

#### 280HR

INFANT MEASURING MAT



The space-saving mat is soft, lightweight, foldable, and easy to store. The fixed headpiece and sliding foot positioner allow for precise measurement of infants or toddlers while lying down.

**Measurement Range:** 3.9" - 43.3" / 10 cm - 110 cm

**Graduation:** 1/4" / 5 mm

#### **EBABYHR**

DIGITAL PEDIATRIC MEASURING ROD



The eBABYHR makes measuring infant length fast and easy with clear digital measurements, large head and foot paddles, and convenient Hold function.

**Measurement Range:** 13 ¾" - 31 ½" / 35 cm - 80 cm

**Resolution:** 1/16" / 0.1 cm

#### **BABYHR**

MECHANICAL PEDIATRIC MEASURING ROD



The BABYHR is perfect for practitioners who need a tool to measure infant length. It can be mounted on the wall along an exam table and users can fold the headpiece and footpiece when not in use.

**Measurement Range:** 3" - 39" / 7 cm - 100 cm

**Graduation:** 1/16" / 1 mm

<sup>\*</sup> Information about height rods for specific scales can be found on each scale's product page.



#### 64769

CARRYING CASE FOR 549KL, 880KL



Features: Nylon bag protects scale during transport. Convenient for mobile use

#### **553CASE**

CARRYING CASE FOR 553KL & 550KL



Features: Nylon bag protects scale during transport. Convenient for mobile use

#### 64771

CARRYING CASE FOR 349KLX, 498KL, 752KL, 100LB/KG, 175LB, 800KL, 822KL, 844KL, 8320KL



Features: Reinforced nylon bag protects scale during transport.

#### **2210CART-AC**

ACUTE CARE CART FOR 2210KL-AM / 2210KL4-AM SERIES OF SCALES



Features: 2 easy grip handes and customized plates for secure scale placement of the 2210KL-AM series of scales

Storage Shelf ( $w \times d \times h$ ): 21 ¼" x 13" x 3" 540 mm x 330 mm x 76 mm Capacity: 77 lb / 35 kg **Cart Dimensions** ( $w \times d \times h$ ):

30" x 22" x 38"

762 mm x 59 mm x 965 mm

Wheels: 4 large anti-static casters

with locks

#### **2210CART**

ROLLING SCALE / MEDICAL DEVICE CART FOR USE WITH 549KL, 550KL, 553KL, 565KL, 2210KL-AM, 2210KL4-AM



Features: Lockable cabinet and storage shelf.

**Cabinet Dimensions** ( $w \times d \times h$ ): 23" x 16 34" x 17" 584 mm x 427 mm x 432 mm



Capacity: 200 lb / 90 kg

Cart Dimensions ( $w \times d \times h$ ): 26 ½" x 18" x 34 %"

673 mm x 457 mm x 867 mm

Wheels: 4 casters (2 with locks)

#### ADPT30

100-240V POWER ADAPTER FOR USE WITH: 1100KL, 1110KL, 2000KL, 2101KL, 2210KL-AM, 2400KL, 2500KL, 2500CKL, 2595KL, 2600KL, 2610KL, 2650KL, 2700KL, 2900KL-AM, 3001KL-AM, 3001KL-AMX, 3105KL-AM

#### ADPT31

100-240V POWER ADAPTER FOR USE WITH: 498KL, 499KL, 500KL, 502KL, 522KL, 524KL, 553KL, 2842KL

#### ADPT40

120V POWER ADAPTER FOR USE WITH: 349KLX

#### ADPT50

100-240V POWER ADAPTER FOR USE WITH: 599KL, 600KL, 600KL-BT, ELEVATE-BT, 752KL, AND ELEVATE-C

#### 69-00001

100-240V POWER ADAPTER FOR USE WITH: 594KL, 565KL

#### 69-00012

100-240V BATTERY CHARGER FOR USE WITH: PTS-1000KL

#### 55000

WHEEL BRACKET FOR HEALTH O METER® PROFESSIONAL 400 SERIES BEAM SCALES

**Features:** Wheel bracket attaches easily to scale for mobility.

#### 55070

COUNTERWEIGHTS FOR 450KL MECHANICAL BEAM SCALE

**Features:** Increases capacity of 450KL beam scales.

#### 55090

COUNTERWEIGHTS FOR 400KL AND 402KL

**Features:** Increases capacity of 400KL and 402KL beam scales.

#### **B2500RAMP**

SECONDARY RAMP FOR 2500KL, 2500CKL

#### **B2600RAMP**

SECONDARY RAMP FOR 2600KL

#### **BTPRINTERKIT-01**

WIRELESS THERMAL PRINTER KIT

**Features:** Lightweight printer connects to compatible scales via Pelstar wireless technology. Powered by a rechargeable lithium battery, the device prints patient weight, height and BMI (if available) on 58 mm (2 ¼") thermal paper.

#### **BMICHARTKG**

BMI WHEEL (METRIC)



**Features:** Handy tool quickly displays BMI by selecting patient height and weight. (metric units only)

#### **MUACTAPE**

MIDDLE UPPER ARM CIRCUMFERENCE TAPE



**Features:** Measures nutritional status in children ages 10 -14 years old.




# **CALIBOT**

#### **Automated Calibrator**

The Automated Calibrator is a robust innovative calibration system that allows biomedical engineers and other medical technicians to calibrate medical patient scales quickly and safely without having to transport and stack physical calibration weights on the scale. Eliminating the cumbersome physical calibration weights from the calibration process reduces the time needed for routine scale maintenance and eliminates the safety risks associated with handling heavy dead weights.





<b>Platform Size CALIBOT-AC</b> (w x d):	Product Weight CALIBOT-AC
32" x 27" 813 mm x 686 mm	97 lb / 44 kg

Calibrator



Platform Size CALIBOT-PC (w x d):	Product Weight CALIBOT-PC
17" x 17" 432 mm x 432 mm	65 lb / 30 kg

#### **Options & Accessories:**

Model	Description
CALIBOT-AC	Acute Care Calibrator
CALIBOT-PC	Primary Care Calibrator

### Glossary/Symbols

#### Audible / Mute Sound Option

The display can be set to stay silent or beep while operating the scale.

#### **Auto Off**

Digital scale will automatically shut down after a designated period of time, reducing electrical usage and sustaining battery life.

#### **Auto Weight Hold**

Scale continues displaying the weight measurement for a set period of time after the patient is off the scale.

#### **Auto Zero**

Ability of a digital scale to show a "0" value automatically when powered up.

#### **Breast Milk Intake**

Scale calculates the patient's breast milk intake after a feeding.

#### **BMI**

A statistical measure that is the ratio between a person's weight and height and interpreted as a BMI score, a.k.a. Quetelet Index. Scales with this feature can calculate BMI score based on digitally measured or manually entered height data.

#### Connectivity

Ability of the scale to interface with a computer, vital signs monitor or other electronic device to transmit weight, height and/or BMI.

#### **Enabling Unit View with Unit of Measure Locked**

Allows the user to briefly display the weight in the alternate weight measuring unit.

#### Everlock®

An exclusive feature that allows a scale to be permanently locked in kilogram or pound units.

#### **Factory Calibrated**

All Health o meter® Professional scales are inspected and factory-calibrated prior to shipment.

#### Hold / Release

Digital function that allows the user to hold the patient weight until the key is pressed again to release that information.

#### LB / KG, LB / KG / GM, or G / OZ Conversion

Allows weight to be displayed in different units while patient remains on the scale.

#### LB / KG Lockout

Allows an administrator to select and use only pounds / inches or kilograms / centimeters, helping to reduce the risk of data being recorded in the incorrect unit of measurement.

#### LB / KG /ST or LB / KG Switch

Switch located on the scale platform that allows the user to select weight measuring unit.

#### **Live Handrails**

Allows patient to hold onto handrails for stability while scale accurately calculates weight.

#### **Low Profile Platform**

Low platform height requires a minimal step up, offering patient a comfortable and stable weighing experience.

#### **Motion Detection**

Digital feature that enables accurate weight despite movement of the subject on the scale.

#### **Parent / Child Weighing Function**

The scale's Tare function provides the convenience of weighing a small child or infant while being held by a parent.

#### Pre-tare

Entering a known weight of an object such as a wheelchair, to be subtracted from the patient's weight.

#### Recall

Displays the last weight measurement.

#### **Remote Display**

The scale's display head is separate from the weighing platform and can be handheld, mounted on a wall or placed on a table.

#### Resolution / Graduation

The degree of difference/minimum weight change that a scale maintains when measuring weight, such as fraction of an ounce or pound.

#### Reweiah

Allows repeated weighing while the patient remains on the scale.

#### **Swivel Display**

Display head rotates for the convenience of the caregiver, allowing line-of-sight viewing and information privacy.

#### Tare

Subtracts the weight of an object, such as a diaper or wheelchair, from the patient's weight measurement.

#### Variable Auto-off Time

Ability to choose the period of inactivity time before the scale powers off.

#### Zero

Zeroes the display to set the weight/reference point to zero.



cMETus - Products have been evaluated for safety by MET, an accredited independent lab, in accordance with the appropriate national standards for the United States and Canada.



Ships By Truck Only - Due to their size, products can only be shipped by a common carrier. Please call 1 (800) 815-6615 for specific shipping information to your facility.



TAA Compliant - The manufacturing of these products meets the rules and requirements of the U.S. Trade Agreements Act.


All Health o meter® Professional products are listed with the US Food & Drug Administration.

All Health o meter® Professional products are manufactured without the use of natural rubber latex.

## **Global Support**

Health o meter® Professional Scales has over 170 skilled professionals based in the United States and Canada who manufacture, sell, service and support our products. Our global headquarters in McCook, IL is home to our highly trained Customer Service and Technical Support teams along with our engineering, logistics and management team. On-site sales and support are provided in partnership with MedTech/MedCare, an industry-recognized leader in medical sales throughout the US and Canada.

Our American engineered products are designed and manufactured to meet the requirements of the International Organization for Standardization (ISO).



Health o meter® Professional Scales takes pride in designing world-class products for healthcare professionals around the globe. Our sales and support network includes select dealers and distributors throughout Latin America, Asia, Africa and the Middle East.



